

THIR UNITED STRATES OF AMERICA

TO AMETO WHOM THESE PRESENTS SHAME COME:

Monsanto Technology KKÇ

MATCHS, THERE HAS BEEN PRESENTED TO THE

Secretary of Agriculture

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED DISTINCT VARIETY OF SEXUALLY REPRODUCED, OR TUBER PROPAGATED PLANT, THE JAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUNTO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF LAW IN SUCH CASES MADE AND PROVIDED HAVE BEEN COMPLIED WITH, AND THE TITLE THERETO IS, FROM THE REGORDS OF THE PLANT VARIETY PROTECTION OFFICE, IN THE APPLICANT(S) INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION MADE, THE SAID APPLICANT(S) IS (ARE) ADJUDGED TO BE ENTITLED TO A CERTIFICATE OF PLANT VARIETY PROTECTION UNDER THE LAW.

NOW, THEREFORE, THIS CERTIFICATE OF PLANT VARIETY PROTECTION IS TO GRANT UNTO THE SAID APPLICANT(S) AND THE SUCCESSORS, HEIRS OR ASSIGNS OF THE SAID APPLICANT(S) FOR THE TERM OF TWENTY FEARS FROM THE DATE OF THIS GRANT, SUBJECT TO THE PAYMENT OF THE REQUIRED FEES AND PERIODIC REPLEMISHMENT OF VIABLE BASIC SEED OF THE VARIETY IN A PUBLIC REPOSITORY AS PROVIDED BY LAW, THE LIGHT TO EXCLUDE OTHERS FROM SELLING THE VARIETY, OR OFFERING IT FOR SALE, OR REPRODUCING IT, OR SUPPRING IT, OR EXPORTING IT, OR CONDITIONING IT FOR PROPAGATION, OR STOCKING IT FOR ANY OF THE VEPURPOSES, OR USING IT IN PRODUCING A HYBRID OR DIFFERENT VARIETY THEREFROM, TO THE EXTENT ED BY THE PLANT VARIETY PROTECTION ACT. (84 STAT. 1542, AS AMENDED, 7 U.S.C. 2321 ET SEQ.)

CORN, FIELD

'I060064'

In Jestimonn Murrent, I have hereunto set my hand and caused the seal of the Flant Bariety Frotestion Office to be affixed at the City of Washington, D.C. this eleventh day of December, in the year two thousand and six.

Atlost:

Benzen

Commissioner Plant Variety Protection Office Agricultural Marketing Service



INSTRUCTIONS

GENERAL: To be effectively filed with the Plant Variety Protection Office (PVPO), ALL of the following items must be received in the PVPO: (1) Completed application form signed by the owner; (2) completed exhibits A, B, C, E; (3) for a seed reproduced variety at least 2,500 viable untreated seeds, for a hybrid variety at least 2,500 untreated seeds of each line necessary to reproduce the variety, or for tuber reproduced varieties verification that a viable (in the sense that it will reproduce an entire plant) tissue culture will be deposited and maintained in an approved public repository; (4) check drawn on a U.S. bank for \$3,652 (\$432 filling fee and \$3,220 examination fee), payable to "Treasurer of the United States" (See Section 97.6 of the Regulations and Rules of Practice.) Partial applications will be held in the PVPO for not more than 90 days, then returned to the applicant as unfilled. Mail application and other requirements to Plant Variety Protection Office, AMS, USDA, Room 401, NAL Building, 10301 Baltimore Avenue, Beltsville, MD 20705-2351. Retain one copy for your files. All items on the face of the application are self explanatory unless noted below. Corrections on the application form and exhibits must be initiated and dated. DO NOT use masking materials to make corrections. If a certificate is allowed, you will be requested to send a check payable to "Treasurer of the United States" in the amount of \$432 for issuance of the certificate. Certificates will be issued to owner, not licensee or agent.

Plant Variety Protection Office Telephone: (301) 504-5518 FAX: (301) 504-5291

Homepage: http://www.ams.usda.gov/science/pvpo/pvp.htm

ITEM

- 18a. Give:
- (1) the genealogy, including public and commercial varieties, lines, or clones used, and the breeding method;
- (2) the details of subsequent stages of selection and multiplication;
- (3) evidence of uniformity and stability; and
- (4) the type and frequency of variants during reproduction and multiplication and state how these variants may be identified
- 18b. Give a summary of the variety's distinctness. Clearly state how this application variety may be distinguished from all other varieties in the same crop. If the new variety is most similar to one variety or a group of related varieties:
 - (1) identify these varieties and state all differences objectively;
 - (2) attach statistical data for characters expressed numerically and demonstrate that these are clear differences; and
 - (3) submit, if helpful, seed and plant specimens or photographs (prints) of seed and plant comparisons which clearly indicate distinctness.
- 18c. Exhibit C forms are available from the PVPO Office for most crops; specify crop kind. Fill in Exhibit C (Objective Description of Variety) form as completely as possible to describe your variety.
- 18d. Optional additional characteristics and/or photographs. Describe any additional characteristics that cannot be accurately conveyed in Exhibit C. Use comparative varieties as is necessary to reveal more accurately the characteristics that are difficult to describe, such as plant habit, plant color, disease resistance. etc.
- 18e. Section 52(5) of the Act requires applicants to furnish a statement of the basis of the applicant's ownership. An Exhibit E form is available from the PVPO.
- 19. If "Yes" is specified (seed of this variety be sold by variety name only, as a class of certified seed), the applicant MAY NOT reverse this affirmative decision after the variety has been sold and so labeled, the decision published, or the certificate issued. However, if "No" has been specified, the applicant may change the choice. (See Regulations and Rules of Practice, Section 97.103).
- 22. See Sections 41, 42, and 43 of the Act and Section 97.5 of the regulations for eligibility requirements.
- 23. See Section 55 of the Act for instructions on claiming the benefit of an earlier filling date.
- 21. CONTINUED FROM FRONT (Please provide a statement as to the limitation and sequence of generations that may be certified.)
- 22. CONTINUED FROM FRONT (Please provide the date of first sale, disposition, transfer, or use for each country and the circumstances, if the variety (including any harvested material) or a hybrid produced from this variety has been sold, disposed of, transferred, or used in the U.S. or other countries.)

Parent of a hybrid sold in the U.S. - March 2003

23. CONTINUED FROM FRONT (Please give the country, date of filing or issuance, and assigned reference number, if the variety or any component of the variety is protected by intellectual property right (Plant Breeder's Right or Patent).)

NOTES: It is the responsibility of the applicant/owner to keep the PVPO informed of any changes of address or change of ownership or assignment or owner's representative during the life of the application/certificate. There is no charge for filling a change of address. The fee for filling a change of ownership or assignment or any modification of owner's name is specified in Section 97.175 of the regulations. (See Section 101 of the Act, and Sections 97.130, 97.131, 97.175(h) of the Regulations and Rules of Practice.)

To avoid conflict with other variety names in use, the applicant must check the appropriate recognized authority. For example, for agricultural and vegetable crops, contact: Seed Branch, AMS, USDA, Room 213, Bullding 306, Beltsville Agricultural Research Center-East, Beltsville, MD 20705. Telephone: (301) 504-8089. http://www.ams.usda.gov/isg/seed.htm

According to the Paperwork Reduction Act of 1995, an agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a valid OMB control number. The valid OMB control number for this information collection is 0581-0055. The time required to complete this information collection is estimated to average 3.0 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information.

The U.S. Department of Agriculture (USDA) prohibits discrimination in all its programs and activities on the basis of race, color, national origin, gender, religion, age, disability, sexual orientation, marital or family status, political beliefs, parental status, or protected genetic information. (Not all prohibited bases apply to all programs.) Persons with disabilities who require alternative means for communication of program information (Braille, large print, audiotape, etc.) should contact USDA's TARGET Center at 202-720-2600 (voice and TDD).

To file a complaint of discrimination, write USDA, Director, Office of Civil Rights, Room 326-W, Whitten Building, 14th and Independence Avenue, SW, Washington, DC 20250-9410 or call 202-720-5964 (voice and TDD). USDA is an equel opportunity provider and employer.

ST-470 (02-10-2003) designed by the Plant Variety Protection Office with Word 2000. Replaces former versions of ST-470, which are obsolete.

Origin and Breeding History I060064

Corn Variety I060064 was selected for reduced green snap potential and improved female seed parent characteristics.

Summer 1995	Inbred line 90DJD28 (a proprietary Monsanto inbred) was crossed to MF1113B (a proprietary Monsanto inbred) (row 414-3 X row 416-12).
Winter 1995-96	F1 seed was grown and self-pollinated (row CC9-62). Harvested ears were bulked.
Winter 1996-97	F2 seed was grown ear-to-row and self-pollinated (rows 7F: 18-11 to 7F: 18-01). 119 were harvested.
Summer 1997	F3 seed was grown ear-to-row and self-pollinated (rows 240-26 to 240-43). 3 ears were selected from row 240-17.
Winter 1997-98	F4 seed was grown ear-to-row and self-pollinated (rows 6M: 19-52 to 6M: 19-54). 3 ears were selected from row 6M: 19-53.
Summer 1998	F5 seed was grown ear-to-row and self-pollinated (rows 416-14 to 416-12). F6 seed from row 416-14 was named corn variety I060064.
Winter 1998-99	F6 seed was grown ear-to-row and self-pollinated (rows 80SS 2374 and 2375). 10 ears were harvested from of these two rows.
Summer 1999	F7 seed was grown ear-to-row and self-pollinated (rows 615-04 to 615-23). F8 seed from row 615-20 was bulked.

Statement of Stability and Uniformity

Corn variety I060064 was coded in 1994 and has been reproduced and judged stable for the past three generations by self-pollination. Corn variety I060064 is uniform for all traits observed.

Statement of Variants

Corn variety I060064 shows no variants other than that would be expected due to environment or that would occur for almost any character during the course of repeated sexual reproduction.

EXHIBIT B (revised)

Statement of Distinctness

Monsanto Technology L.L.C. believes that Corn Variety I060064 is most similar to Corn Variety 90DJD28, a proprietary inbred of DEKALB Genetics Corporation (PVP No. 9700167).

Corn Variety I060064 and 90DJD28 differ most significantly for the following traits:

Trait	Year	1060064	90DJD28	t-test results
Tassel	2001	35.9	44.0	t = -6.77
Length (cm)		(Std. Dev. = 3.6, N = 20)	(Std. Dev. = 2.9, N = 20)	p-value = 0.000
Tassel	2002	36.6	44.7	t = -10.7
Length (cm)		(Std. Dev. = 3.3, N = 20)	(Std. Dev. = 2.7, N = 20)	p-value = 0.000
Ear Length	2001	12.2	16.7	t = -10.4
(cm)		(Std. Dev. = 1.3, N = 20)	(Std. Dev. = 0.6, N = 20)	p-value = 0.000
Ear Length	2002	12.7	16.9	t = -16.8
(cm)		(Std. Dev. = 0.8, N = 20)	(Std. Dev. = 0.6, N = 20)	p-value = 0.000
Silk Color	-	Yellow	Pink	-
	··· <u> </u>	(2.5 Y 8/10)	(2.5 R 7/6)	·

United States Department of Agriculture, Agricultural Marketing Service Science Division, Plant Variety Protection Office National Agricultural Library Building, Room 500 Beltsville, MD 20705

OBJECTIVE DESCRIPTION OF VARIETY CORN (Zea mays L.)

Name of Applicant(s)		Variety Seed So	urce	Variety	Name or Tempo	rary Designation
Monsanto Technology L.L.C.			arce	variety	106006	• •
Address (Street & No., or R.F.D. No., City, State, Zip Code and Country)					CIAL USE	
3100 Sycamore Road, DeKalb, IL 60115 U.S.A.				PVPO Num	200300	
Place the appropriate number that describes the varietal whole numbers by adding leading zeroes if necessary. Co Traits designated by a '*' are considered necessary for	mnleteness show	ld be etrition for	to ooto	hlich an	e spaces below	Diaht inctifu
COLOR CHOICES (Use in conjunction with Munsell color code to describe all color choices; 01=Light Green 06=Pale Yellow 11=Pink 16=Pale F 02=Medium Green 07=Yellow 12=Light Red 17=Purple 03=Dark Green 08=Yellow-Orange 13=Cherry Red 18=Colorl 04=Very Dark Green 09=Salmon 14=Red 19=White 05=Green-Yellow 10=Pink-Orange 15=Red & White 20=White					d #26 in Commer 21=Buff 22=Tan 23=Brown 24=Bronze 25=Variegated 26=Other (Descr	(Describe)
STANDARD INBRED CHOICES(Use the most similar (in background process) Family Members B14 CM105, A632, B64, B68 B37 B37, B76, H84 B73 N192, A679, B73, NC268 C103 Mo17, Val02, Va35, A682 Oh43 A619, MS71, H99, Va26 WF9 W64A, A554, A654, Pa91	Yellow Co109, ND24 Oh7, T W117, W182BN White D	Dent (Unrelated): 6, 232 W153R		Swee Cl3, Iowa Popco SG1 Pipeo	t Corn: a5125, P39, 213	32 01, HP7211
<pre>1. TYPE: (describe intermediate types in Comments section * 8 1=Sweet 2=Dent 3=Flint 4=Flour 5=Pop 6=Orname</pre>		rn 8=Flint-Dent	Stand: 2	ard Inbr	ed Name B73	
2. REGION WHERE DEVELOPED IN THE U.S.A.: * 2 1=Northwest 2=Northcentral 3=Northeast 4-Southe 6=Southwest 7=Other	east 5=Southce	ntral	Standa 2	ard Seed	Source NCRIPS_	
3. MATURITY (In Region Best Adaptability; show Heat Unit section): DAYS * 0 7 4 1 4 7 7. 1 From emergence to 50% * 0 7 4 1 4 7 0. 0 From emergence to 50% 0 0 8 0. 7 From 10% to 90% polled	s of plants in s	silk	DAYS 0 7 0 7	9	HEAT UNITS 1 5 7 8. 1 5 2 2.	
(*) From 50% silk to opti	_	·	 	- -		_
4. PLANT: St	andard Deviation	on Sample Size	•	Sta	ndard Deviatio	on Sample Size
* 2 0 7.7 cm Plant Height (to tassel tip)	9.4	40	2 1	9. 7	11.8	30
* 0 7 0.9 cm Ear Height (to base of top ear node)	10.8	40	0 7	6.8	8.1	30
0 1 3. 9 cm Length of Top Ear Internode	1.3	40	0 1	4. 7	0.8	30
Average Number of Tillers						
* 1. 0 Average Number of Ears per Stalk	0.0	10	0 0	1. 0	0.0	30
3 Anthocyanin of Brace Roots: 1=Absent 2=Fai			4			
Application Variety Data	Pa	ge l	Standa	rd Inbre	d Data	

ication Variety Data Page 2		Standard Inbred Data				
5. LEAF:	Standard Deviation	Sample Size		Standard Deviation	Sample Size	
* 0 0 7.4 cm Width of Ear Node Leaf	1.6	40	0 0 8.6	0.8	30	
* 0 7 3.2 cm Length of Ear Node Leaf	7.0	40	0 7 6.4	1.5	30	
* 5. 4 Number of leaves above top ear	0.3	40	5. 6	0.4	15	
9. 0 degrees Leaf Angle (measure from 2nd leaf above ear a	6.4 at anthesis to stalk abo	40 ve leaf)	2 5.8	8.8	30	
* 0 2 Leaf Color (Munsell code 5 GY 5/10			0 3 (Muns	ell code 5 GY 3/4)		
6 Leaf Sheath Pubescence(Rate on sca	ale from 1=none to 9=pea	ch fuzz)	6			
3 Marginal Waves (Rate on scale from	n 1=none to 9=many)		6			
5 Longitudinal Creases (Rate on scal	e from 1=none to 9=many)	5			
6. TASSEL:	Standard Deviation	Sample Size		Standard Deviation	Sample Size	
* 5. 1 Number of Primary Lateral Branches	1.5	40	7. 1	1.4	30	
2 7. 0 Branch Angle from Central Spike	6.5	40	2 6.7	2.2	. 30	
* 3 6.8 cm Tassel Length (from top leaf collar to tassel tip)	3.4	40	3 9.7	2.9	30	
5. 9 Pollen Shed (Rate on scale from 0=male	sterile to 9=heavy shed)	7. 0			
1 1 Anther Color (Munsell code 2.5 R 7/6)			2 2 (Munse	ell code 10 Y 8.5/	6)	
0 2 Glume Color (Munsell code 5 GY 4/8)				ell code 5 GY 4/8)		
1 Bar Glumes (Glume Bands): 1=Absent 2=Pr	esent		1			
7a. EAR (Unhusked Data):						
\star 0 7 Silk Color (3 days after emergence) (Muns	ell code 2.5 Y 8/10)		0 5 (Munse	ell code 2.5 GY 8/	6)	
0 2 Fresh Husk Color (25 days after 50% silking) (Munsell code 5 GY 4/8)				0 2 (Munsell code 5 GY 4/8)		
2 1 Dry Husk Color (65 days after 50% Silking) (Munsell code 2.5 Y 8,	(4)	2 1 (Munse	ell code 2.5 Y 8/4)	
* 1 Position of Ear at Dry Husk Stage: 1=Upric	ght 2=Horizontal 3=Pende	ent	3			
7 Husk Tightness (Rate on scale from 1=very	loose to 9=very tight)		6			
1 Husk Extension (at harvest): 1=Short (ear: 3=Long (8-10 cm beyond ea:	s exposed) 2=Medium (<8 r tip) 4=Very Long (>10	cm)	3			
7b. EAR (Husked Ear Data):	Standard Deviation	Sample Size	9	tandard Deviation	Sample Size	
* 1 2.3 cm Ear Length	1.2	40	1 3.3	0.6	30	
* 4 1.0 mm Ear Diameter at mid-point	1.0	40	4 3.0	1.1	30	
gm Ear Weight	_·	_	- · -	· _		
* 1 5 Number of Kernel Rows	0.2	40	1 7	0.5	30	
2 Kernel Rows: 1=Indistinct 2=Distinct			2			
1 Row Alignment: 1=Straight 2=Slightly	Curved 3=Spiral		2			
0 6.4 cm Shank Length	2.3	40	0 7.8	1.7	30	
2 Ear Taper: 1=Slight 2=Average 3=Extre	eme		2			
application Variety Data			Standard Inb	red Data		
ote: Use chart on first page to choose color codes						

Note: Use chart on first page to choose color codes for color traits.

Application Variety Data	Page 3		Standard Inbred Data		
8. KERNEL (Dried):	Standard Deviation	Sample Size	Standa	rd Deviation	Sample Size
1 0.6 mm Kernel Length	0.9	20	1 0.8	0.40	15
0 6.4 mm Kernel Width	0.9	20	0 7.0	0.5	15
0 4.1 mm Kernel Thickness	0.9	20	0 3, 8	0.3	15
1 8.5 % Round Kernels (Shape Grade)		500g	4 1.0	4.3	500g
1 Aleurone Color Pattern: 1=Homozygous	2=Segregating		1		
(*) 1 9 Aleurone Color (Munsell code Lighter	Than 2.5 Y 9/2)		1 9 (Munsell co	de Lighter Tha	n 2.5 Y 9/2
* 0 7 Hard Endosperm Color (Munsell code 2	5 Y 8/10)		0 7 (Munsell co	de 2.5 Y 8/10	
* 0 3 Endosperm Type: 1=Sweet (sul) 2=Extra 4=High Amylose Starch 5=Waxy Starch 8=Super Sweet (se) 9=High Oil 10=Oth	6=High Protein 7-High Ive	arch sine	0 3		
gm Weight per 100 Kernels (unsized sa	mple)	seeds	<u> </u>	-· -	seeds
9. COB:	Standard Deviation	Sample Size	Standa	rd Deviation	Sample Size
* 2 3.0 mm Cob Diameter at mid-point	1.0	40	2 5.6	1.50	30
1 4 Cob Color (Munsell code 5 R 3/8)			1 4 (Munsell o	ode 5 R 3/8)	
leave blank if not tested; leave Race or S A. Leaf Blights, Wilts, and Local Infection Disea 6 Anthracnose Leaf Blight (Colletotrichum gramin Common Rust (Puccinia sorghi) Common Smut (Ustilago maydis) 5 Eyespot (Kabatiella zeae) 7 Goss's Wilt (Clavibacter michiganense spp. neb 4 Gray Leaf Spot (Cercospora zeae-maydis) 5 Helminthosporium Leaf Spot (Bipolaris zeicola) 5 Northern Leaf Blight (Exserohilum turcicum) Ra 7 Southern Leaf Blight (Bipolaris maydis) Race 0 Southern Rust (Puccinia polysora) 6 Stewart's Wilt (Erwinia stewartii) Other (Specify) B. Systemic Diseases 4 Corn Lethal Necrosis (MCMV and MDMV) Head Smut (Sphacelotheca reiliana) Maize Chlorotic Dwarf Virus (MCDV)	ses icola) raskense) Race 2 ce 2	llygenic):	7 5 7 7 7 2 8 Race 2 5 Race 2 3 Race 0 3 7		
Maize Chlorotic Mottle Virus (MCMV) Maize Dwarf Mosaic Virus (MDMV) Strain Sorghum Downy Mildew of Corn (Peronosclerospor Other (Specify) C. Stalk Rots	a sorghi)		Strain		
Anthracnose Stalk Rot (Colletotrichum graminic Diplodia Stalk Rot (Stenocarpella maydis) Fusarium Stalk Rot (Fusarium moniliforme) Gibberella Stalk Rot (Gibberella zeae) Other (Specify)	ola)		- - - -		
D. Ear and Kernel Rots					
Aspergillus Ear and Kernel Rot (Aspergillus fl. Diplodia Ear Rot (Stenocarpella maydis)	·		<u> </u>		
Fusarium Ear and Kernel Rot (Fusarium monilifo: Gibberella Ear Rot (Gibberella zeae) Other (Specify)	ane ,				·

Application Variety Data	Pag	ge 4	Standard Inbred	d Data	
11. INSECT RESISTANCE (Rate from 1 (most susceptible) to 9 leave blank if not tested):	(most resistan	it);	-		· · · · · · · · · · · · · · · · · · ·
Banks Grass Mite (Oligonychus pratensis) Corn Earworm (Helicoverpa zea) Leaf-Feeding Silk Feeding:	Standard Deviation	Sample Size		Standard Deviation	Sample Size
Ear Damage					
Corn Leaf Aphid (Rhopalosiphum maidis) Corn Sap Beetle (Carpophilus dimidiatus) European Corn Borer (Ostrinia nubilalis) 1st Generation (Typically Whorl Leaf Feeding) 2nd Generation (Typically Leaf Sheath-Collar Feeding) Stalk Tunneling:			- - 3 5		
cm tunneled/plant Fall Armyworm (Spodoptera frugiperda) Leaf-Feeding Silk-Feeding			· _		
mg larval wtMaize Weevil (Sitophilus zeamaize)Northern Rootworm (Diabrotica barberi)Southern Rootworm (Diabrotica undecimpunctata)Southwestern Corn Borer (Diatraea grandiosella)Leaf Feeding		<u></u>	· - 		
Stalk Tunneling:cm tunneled/plantTwo-spotted Spider Mite (Tetranychus urticae)Western Rootworm (Diabrotica virgifera virgifera)Other (Specify)			· _		
12. AGRONOMIC TRAITS:					
7 Stay Green (at 65 days after anthesis) (Rate on to 9=excellent.)	a scale from	1=worst	2		
0 0.0 % Dropped Ears (at 65 days after anthesis)			0 0.0		
0 0.0 % Pre-anthesis Brittle Snapping			0 0.0		
0 0.0 % Pre-anthesis Root Lodging			0 0.0		
0 0.2 % Post-anthesis Root Lodging (at 65 days after	anthesis)		0 2.0		
6 2 5. 6 Kg/ha Yield of Inbred Per Se (at 12-13% grain m			3 5 4 8.3		
3. MOLECULAR MARKERS: (0=data unavailable; 1=data available	but not supp	lied; 2=data su	pplied)		
0 Isozymes 0 RFLP's 0 RAPD's		-104, 2 4444 00	.pp220d/		
EFERENCES:				·	
Butler, D.R. 1954. A System for the Classification of Corn Emerson, R.A., G.W. Beadle, and A.C. Fraser. 1935. A Summar Farr, D.F., G.F. Bills, G.P. Chamuris, A.Y. Rossman. 1989. hytopathological Society, St. Paul, MN. Inglett, G.E. (Ed.) 1970. Corn: Culture, Processing, Produc Jugenheimer, R.W. 1976. Corn: Improvement, Seed Production, McGee, D.C. 1988. Maize Diseases. APS Press, St. Paul, MN. Munsell Color Chart for Plant Tissues. Macbeth. P.O. Box 23 The Mutants of Maize. 1968. Crop Science Society of America Shurtleff, M.C. 1980. Compendium of Corn Diseases. APS Press Sprague, G.F., and J.W. Dudley (Editors). 1988. Corn and Comadison, WI. Stringfield, G.H. Maize Inbred Lines of Ohio. Ohio A.E.S., MU.S. Department of Agriculture. 1936, 1937. Yearbook.	y of Linkage : Fungi on Plan ts. Avi Publi and Uses. Joi 150 pp. 0. Newburgh, I Madison, WI s, St. Paul, I rn Improvement	Studies in Mais and Plant Proshing Company, an Wiley & Sons N.Y. 12551-0230 MN. 105 pp. E., Third Editio	e. Cornell A.E.S., ducts in the Unite Westport, CT., New York.	Mem. 180. d States. The A	
OMMENTS (eg. state how heat units were calculated, standard):	inbred seed :	source, and/or	where data was col	lected. Continu	e in Exhibit

Following is a description of the experimental and environmental conditions by which the trials were conducted along with influences that may have contributed to the variability of the traits:

The corn varieties 'I060064, '90DJD28' and 'B73' were grown at the Waterman, IL observation nursery in years 2001-2002. The varieties were planted in 2 row plots with 15 plants per row in each of the three years. Trait data were collected on 10 random representative plants for most traits from each 2 row plot. Data on qualitative traits are usually collected on 10 plants from each 2 row plot. For Exhibit C all data were pooled and reported as means across the three years with standard deviation. The varieties are randomly planted in a 4.5 acre observation nursery which is located within a larger 18 acre field. Besides the observation nursery, this field consists of a research seed increase nursery and an IP seed inventory nursery. The location of each of these individual nurseries is rotated each year to a different location within the 18 acre field. Therefore subject inbreds are not planted adjacent to comparative or standard varieties and may be located in different areas of the larger field each year, therefore being influenced by spacial differences within the field. Growing conditions within the field are not uniform as there are some slight topographical variations such as lower areas which may accumulate and retain water or higher areas which are usually drier. The field is tiled and therefore a variety may be planted close to a tile line while a comparative variety may be planted further away and in a low spot within the field. Temporal variations can exist as weather conditions from year to year can vary as well as planting dates can vary from year to year based on weather conditions. Weather conditions each year can vary the maturity rate of the varieties due to either favorable or unfavorable growing conditions.

Trait variability is not observed for each variety within its own test plot-plants are usually uniform and data are collected on the "most" representative plants- variability occurs due to spacial location of the test plot for that variety from year to year and to the temporal variation of weather conditions from year to year during the 2-3 years data are collected.

Following is a table which lists some environmental data for the months of June through September of 2001 and 2002

Variable	Month	2001	2002
Ave. Rainfall (in)	June	3.8	5.3
Ave. Rainfall (in)	July	1.7	1.5
Ave. Rainfall (in)	August	2.9	5.7
Ave. Rainfall (in)	Sept.	5.9	1.5
Ave. Temp-Max (F°)	June	77.3	81.3
Ave. Temp-Max (F°)	July	84.9	87.0
Ave. Temp-Max (F°)	August	82.9	83.1
Ave. Temp-Max (F°)	Sept.	71.5	79.4
Ave Temp-Min (F°)	June	56.5	60.4
Ave Temp-Min (F°)	July	62.2	64.9
Ave Temp-Min (F°)	August	61.3	61.0
Ave Temp-Min (F°)	Sept.	48.7	52.6

REPRODUCE LOCALLY, Include form number and edition date on al	reproductions.	ORM APPROVED - OMB No. 0581-0055
U.S. DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE EXHIBIT E	Application is required in order to deficient is to be issued (7 U.S.C. 2 confidental until the certificate is issued.	termine If a plant variety protection 421). This information is held
STATEMENT OF THE BASIS OF OWNERSHIP	A Parameters	
NAME OF APPLICANT(S) Monsanto Technology L.L.C.	2. TEMPORARY DESIGNATION OR EXPERIMENTAL NUMBER	3. VARIETY NAME 1060064
4. ADDRESS (Street and No. or R.F.O. No., Cay, State, and ZiP, and Country)	5. TELEPHONE (include area code)	6: FAX-(Include seas code)
3100 Sycamore Road	(815) 758-9281	(815) 758-4106
DeKalb, IL 60115 U.S.A.	7. PVPO NUMBER	
O.G.A.	20	03 0 0293
8. Does the applicant own all rights to the variety? Mark an "X" in the		
9. Is the applicant (individual or company) a U.S. National or a U.S.	based company? If no, give name of o	country X YES NO
		•
10. Is the applicant the original owner? X YES NO	If no, please answer one of the fo	llowing:
a. If the original rights to variety were owned by individual(s), is	(are) the original owner(s) a U.S. Nation	al(s)?
TYES TNO		
	in ito, give hame of country	
b. If the original rights to variety were owned by a company(ies)), is (are) the original owner(s) a U.S. ba	ised company?
" LA ALES LA NO	If no, give name of country	
11. Additional explanation on ownership (If needed, use the reverse	for overa spacely	
the second of children in the second as the second	ioi extra spacej:	
Corn Variety I060064 was originated and dever Technology L.L.C. By agreement between Mor to any invention, discovery, or development are rights to such invention, discovery, or development	nsanto Technology L.L.C. and the assigned to Monsanto Techno	e breeder, all rights
PLEASE NOTE:		
Plant variety protection can only be afforded to the owners (not licens	sees) who meet the following criteria:	•
If the rights to the variety are owned by the original breeder, that p national of a country which affords similar protection to nationals of the rights of the right	erson must be a U.S. national, national of the U.S. for the same genus and spec	of a UPOV member country, or less.
If the rights to the variety are owned by the company which employ nationals of a UPOV member country, or owned by nationals of a genus and species.	ved the original broader(s), the compan	remote he is a board around he
3. If the applicant is an owner who is not the original owner, both the	original owner and the applicant must n	neet one of the above criteria.
The original breeder/owner may be the individual or company who di Act for definitions.		•
According to the Paperwork Reduction Act of 1995, an agency may not conduct or sponsor, control number. The valid OMB control number for this information collection is 0581-0655	and a person is not required to respond to a collect	on of information unless it displays a valid OMB

According to the Paperwork Reduction Act of 1995, an agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a valid OMB control number. The valid OMB control number for this information collection is estimated to average 6 minutes per response, including the time for reviewing the instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information.

The U.S. Department of Agriculture (USDA) prohibits discrimination in all its programs on the basis of race, color, national origin, sex, religion, age, disability, political beliefs, sexual orientation, or marital or family status. (Not all prohibited bases apply to all programs). Persons with disabilities who require alternative means for communication of program information (braille, large print, audiotape, etc.) should contact the USDA's TARGET Center at 202-720-2600 (voice and TDD). To file a complaint of discrimination, write USDA, Director, Office of Civil Rights, Room 326-W, Whitten Building, 14⁴⁴ and Independence Avenue, SW, Washington, D.C. 20250-9410 or call (202) 720-5984 (voice and TDD). USDA is an equal opportunity provider and employer.